CEMO
for safe storage

PRODUCT DATA SHEET

CEMO CUBE Lubricant tank system, outdoor Premium, 1000 L, manual dispensing nozzle, 230 V, 9 L/min (max.), grey, with lid, orange

Order no.: 10312
EAN number: 4052886329443

PRODUCT DESCRIPTION

- with general construction inspection certification Z-40.21-510
- resistance of high-quality polyethylene (PE) tank guaranteed for 10 years for certified storage media
- with hinged lid, certified for outdoor installation
- bunded tank for improved safety
- visual bund leak indicator for quick inspection
- filling connection with tanker coupling
- vent cap for reliable pressure equalisation
- suction hose for safe and constant dispensing
- completely assembled – ready to use immediately



TECHNICAL DATA

Content volume	1.000 l
External dimensions (h)	120 x 80 x 180 cm
Weight	155 kg
Use	stationary
Place of installation	Outdoor
Material	LLDPE/LLDPE
Coating	uncoated
Container colour	grey
Lid colour	orange
Operating voltage	230 V
Frequency	50 Hz
Pump drive	Pump
Max. flow rate	9 L/min (max.)

Dispensing hose length	15 m
Hose diameter	DN 15
Stackable	No
Dispensing nozzle	manual
Cable length	2
Warranty in years	10
Assembly condition	mounted
Plug	Schuko plug

EQUIPMENT

Lid	with lid
Hose reel	yes
Flow meter primary medium	K400
Contents gauge	mechanical
Over-fill sensor	yes
Bund leak indicator	visual
Tanker coupling	TW EN 14420-6

SUITABLE STORAGE MEDIA

Oil

LOGISTICS

Package dimensions (l x w x h)	120 x 80 x 200 cm
Units per box	1
Units per pallet	1
Pallet dimensions	120 x 80 x 200 cm
Shipping weight	175 kg
Freight	General cargo
Customs tariff number	84131100

CERTIFICATION

DIBt certification	Z-40.21-510
ADR certification	No
DIN/EN certification	EN 13341
Certification in Switzerland	No

ACCESSORIES



10378 - LED instrument lighting with motion sensor and battery

for safe storage

Link to product

Technical specifications subject to change/Errors and omissions excepted. © CEMO 10312-en 11.26
CEMO GmbH | In den Backenländern 5 | 71384 Weinstadt | Germany | Tel. +4971519636-0 | kontakt@cemo-group.com