for safe storage

PRODUCT DATA SHEET

CEMO CUBE Mobile Diesel Fuel System (Basic) with Pump, 980 L, Automatic dispensing nozzle A80 fastfill, 12 V DC, 85 L/min (max.), grey, with lid, orange


Order no.: 11632

EAN number: 4052886444238

PRODUCT DESCRIPTION

- resistance of high-quality polyethylene (PE) tank guaranteed for 10 years for certified storage media
- with hinged lid, certified for outdoor installation
- compact design, easy to use
- integral baffle to minimise the movement of liquids during transport
- bunded tank for improved safety
- visual bund leak indicator for quick inspection
- filler neck with integral vents for safe filling
- filler cap with vent and breather valves for safe operation
- 1" suction hose with isolation valve
- integral handles for safe handling
- forkliftable for flexible indoor use
- completely assembled – ready to use immediately





TECHNICAL DATA

Content volume	980 l
External dimensions (h)	112 x 130 x 118 cm
Weight	123 kg
Use	stationary + mobile
Place of installation	Transport
Material	LLDPE/LLDPE
Coating	uncoated
Container colour	grey
Lid colour	orange
Operating voltage	12 V DC
Pump drive	Pump
Max. flow rate	85 L/min (max.)

Dispensing hose length	4 m
Hose diameter	DN 25
Stackable	yes
Dispensing nozzle	Automatic fastfill
Cable length	4
Warranty in years	5
Assembly condition	mounted
Plug	Crocodile clips

EQUIPMENT

Lid	with lid
Contents gauge	mechanical
Bund leak indicator	visual
Tanker coupling	Fuel cap 2"
Forklift pockets	yes

SUITABLE STORAGE MEDIA

Diesel

LOGISTICS

Package dimensions (l x w x h)	130 x 120 x 130 cm
Units per box	1
Units per pallet	1
Pallet dimensions	130 x 120 x 130 cm
Shipping weight	143 kg
Freight	General cargo
Customs tariff number	84131100

CERTIFICATION

DIBt certification	Z-40.21-589
ADR certification	BAM 15813-CEMO6/0/1268
DIN/EN certification	EN 13341
Certification in Switzerland	No

ACCESSORIES



10905 - Flow meter K24 compl. for DT-Mobile Easy 980 and 850/100 basic



12078 - Filer with water separator

for safe storage

Link to product

Technical specifications subject to change/Errors and omissions excepted. © CEMO 11632-en 11.26
CEMO GmbH | In den Backenländern 5 | 71384 Weinstadt | Germany | Tel. +4971519636-0 | kontakt@cemo-group.com