PRODUCT DATA SHEET

CEMO DT Mobile PRO hybrid Basic with electric pump, 980 L, Automatic dispensing nozzle A80 fastfill, 12 V DC, 85 L/ min (max.), grey, with lid, orange

Order no.: 11668

EAN number: 4052886451601

PRODUCT DESCRIPTION

- ADR-certified
- Diesel tank system with steel external tank and inner tank made from high-quality polyethylene (PE)
- CEMO A80 fastfill automatic dispensing nozzle for a higher flow rate and shorter refuelling stops, specifically designed for refuelling passenger vehicles and commercial vehicles
- Lighter than comparable double-walled steel IBCs for lower fuel consumption during transport.
- The transport certification for plastic inner tanks for diesel is limited to 5 years. The inner tank must be replaced after this time. We offer this tank replacement service.
- examination every 2½ years (see ADR 6.5.4.4.1 b) and ADR 6.5.4.4.2 b))





TECHNICAL DATA

Content volume	980 l
External dimensions (lxh)	136 x 115 x 118 cm
Weight	320 kg
Use	mobile
Place of installation	Transport
Material	PE/steel
Coating	painted
Container colour	grey
Lid colour	orange
Operating voltage	12 V DC
Pump drive	Pump

Max. flow rate	85 L/min (max.)
Dispensing hose length	4 m
Hose diameter	DN 25
Stackable	yes
Dispensing nozzle	Automatic fastfill
Cable length	4
Warranty in years	5
Assembly condition	mounted
Plug	Crocodile clips

EQUIPMENT

Lid	with lid
Contents gauge	mechanical
Bund leak indicator	visual
Tanker coupling	Fuel cap 2 1/2"
Forklift pockets	yes
Crane lifting eyes	yes

SUITABLE STORAGE MEDIA

Diesel
Biodiesel
HVO
Heating oil

LOGISTICS

Package dimensions (l x w x h)	140 x 120 x 148 cm
Units per box	1
Units per pallet	1
Pallet dimensions	140 x 120 x 148 cm
Shipping weight	340 kg
Freight	General cargo
Customs tariff number	84131100

CERTIFICATION

ADR certification	BAM 16062-CEMO6/2785/1487
Certification in Switzerland	SM 345432

ACCESSORIES



11112 - Lifting frame for crane or grabs



11874 - K33 meter for PRO mobil hybrid and hybrid Basic

SYSTEM COMPONENTS



10261 - Adhesive label set for DT-Mobile Easy retrofitting

Link to product

Technical specifications subject to change/Errors and omissions excepted. © CEMO 11668-en 11.26
CEMO GmbH | In den Backenländern 5 | 71384 Weinstadt | Germany | Tel. +4971519636-0 | kontakt@cemo-group.com